



ABN 66 114 879 122

## MATERIAL SAFETY DATA SHEET

### 1. Product and Company Identification

**PRODUCT NAME:** Craftbond 3000 D3

**PROUCT CODE:** AD4665/005 4 x 5lt  
AD4665/021 20lt  
AD4665/210 200LT

**SUPPLIER:** Nordale Australasia Pty Ltd  
70 Link Drive  
Campbellfield Vic 3061

**Phone:** (03) 9357 7100  
**Fax:** (03) 9357 0655

### 2. Hazards Identification

This material is NOT classified as Hazardous according the criteria of NOHSC Australia.

This material is NOT classified as a Dangerous Good according the ADG Code.

**Poisons Schedule - SUSDP - (Aust):** Not Scheduled

### 3. Composition and Information on Ingredients

Chemical Entity	CAS No.	Proportion
Non hazardous materials -	to 100%	

No Other Hazardous materials are present in this product at concentrations above the cut off levels as Noted in the List of Designated Hazardous Substances, NOHSC:10005 (1999), or as defined in the Approved Criteria For Classifying Hazardous Substances,[NOHSC:1008(1999)].

A.I.C.S STATUS: All components of this finished product are listed on the A.I.C.S.

### 4. First Aid Measures

<b>Ingestion</b>	If swallowed, rinse mouth immediately with water and give water to drink. Do not induce vomiting. Seek medical assistance.
<b>Eye</b>	Irrigate immediately with copious quantities of water for at least 15 minutes holding eyelids open. Seek immediate medical assistance.

<b>Skin</b>	Wash contaminated skin with plenty of soap and water. Remove contaminated clothing and launder before re-use. If irritation occurs, seek medical assistance.
<b>Inhalation</b>	Remove victim from exposure and allow to recover. Apply artificial respiration or oxygen if required. If discomfort continues seek medical assistance.
<b>First Aid Facilities</b>	safety shower and eye wash station

#### 4. First Aid Measures (cont)

##### Advice to Doctor :

Avoid aspiration risks if vomiting is inducing. A polymeric film forms on drying.

#### 5. Fire Fighting Measures

##### Non combustible material

**Fire fighting advice:** Following evaporation of aqueous component residual material can burn if ignited. On burning may emit toxic fumes. Fire fighters to wear self-contained breathing apparatus and suitable protective clothing if risk of exposure to vapour or products of combustion.

**Hazchem Code:** Not applicable.

**Suitable extinguishing media:** Not combustible, however, if material is involved in a fire use water fog (or if unavailable fine water spray), foam, dry agent (carbon dioxide, dry chemical powder).

#### 6. Accidental Release Measures

##### Small Spills

Wear rubber gloves and goggles for skin and eye protection. Wipe up with absorbent (clean rag or paper towels). Allow absorbent to dry before disposing with normal household garbage.

##### Large Spills

Wear protective equipment to prevent skin and eye contamination. Scrape up using shovel. Collect and seal in properly labelled containers or drums for disposal.

#### 7. Handling and Storage

**Handling:** Avoid eye contact and prolonged or repeated skin contact.

Store in a cool place out of direct sunlight and away from oxidizing agents.

Keep containers closed when not in use. Store between 5 and 30°C on wooden pallets. Do not freeze.

#### 8. Exposure Controls & Personal Protection

##### National occupational exposure limits:

No value assigned for this specific material by the National Occupational Health and Safety Commission (NOHSC Australia).

**Exposure:** This material may contain trace amounts of residual monomer, generally less than 0.5%. The exposure limits as set by NOHSC Australia for the residual monomer, as listed in the "National Exposure Standards[NOHSC:3008 (1995)]" are as follows:

Vinyl Acetate	108-05-4	TWA	10 ppm
		STEL	20 ppm

**Engineering measures:** Natural ventilation should be adequate under normal use conditions. If product is to be used in a confined space local extraction is recommended. If product is to be sprayed, vapours or mists may be generated. In this circumstance respiratory protection is recommended. **Respirator type** Organic Vapour respirator is recommended if at risk of exposure to mists or vapours.

**Personal Protection:**

<b>Eye protection</b>	Safety glasses with side shield, chemical goggles or face mask.
<b>Glove type</b>	PVC coated.
<b>Clothing</b>	Standard work overalls covering arms and legs.
<b>Foot wear</b>	Chemical resistant safety shoes or boots.
<b>Work /hygiene practice</b>	Always wash hands before smoking, eating, drinking or using toilet.

**9. Physical and Chemical Properties**

<b>Appearance</b>	White pourable liquid
<b>Vapour pressure</b>	Not known
<b>Boiling Point</b>	approx 100°C (Water)
<b>Specific gravity</b>	1.15 @ 25°C
<b>Solubility in Water</b>	Miscible
<b>Flash point</b>	Not Applicable
<b>Flamm. Limit LEL</b>	Not Applicable
<b>Flamm. Limit UEL</b>	Not Applicable
<b>pH Value</b>	3.3 – 3.7

Recommended usage:	Water resistant woodworking adhesive
Method of Application:	Mechanical

**10. Stability and Reactivity**

**Reactivity:** Stable at normal temperatures and pressure.  
**Incompatible Materials:** Oxidising agents.  
**Hazardous decomposition products:** Oxides of carbon and nitrogen, smoke and other toxic fumes.  
**Hazardous reactions:** No information available.

**11. Toxicological Information**

**No adverse health effects are expected if the product is handled in accordance with this safety data sheet**

**Health Effects**

<b>Acute - Ingestion</b>	None known but swallowing may result in nausea.
<b>Acute - Eye</b>	None known. May cause slight irritation and soreness.
<b>Acute - Skin</b>	No known health hazard
<b>Acute - Inhalation</b>	Not expected to present a vapour inhalation hazard
<b>Chronic</b>	Available data indicates low toxicity. Long term exposure to this product type indicates no danger to health when handled in accordance with good industrial practices

**12. Ecological Information**

**Environmental Information:** no data available for this product. Do not allow to enter the environment.

Waste Material should be collected and disposed of according to the relevant Local/State or Federal Regulations.

### 13. Disposal

Allow all material including absorbed material to thoroughly dry or set before disposing with normal household or industrial waste/garbage.

### 14. Transport Information

#### **ROAD AND RAIL TRANSPORT**

Not classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for transport by Road and Rail.

#### **MARINE TRANSPORT**

Not classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea.

#### **AIR TRANSPORT**

Not classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air.

### 15. Regulatory Information

**Poisons Schedule (Aust):** Not Scheduled.

All the constituents of this material are listed on the Australian Inventory of Chemical Substances (AICS).

### 16. Other Information

Contact Point:

Australia  
Nordale Australasia Pty Ltd  
70 Link Drive  
Campbellfield Vic 3061

Graham Prisk  
Managing Director  
0408 612 556

Frank Cerra  
Technical Manager  
0414 417 053

---

The information given and the recommendations made herein apply to our product(s) alone and not combined with any other product(s). Such are based on our research and on data from other reliable sources and are believed to be accurate. No guarantee of accuracy is made. It is the purchasers' responsibility before using any product to verify this data under their own operating conditions and to determine whether the product is suitable for their purposes

