

Material Safety Data Sheet

Page 1 of 6

NORDALE HI-BOND PREMIUM PVA

Date of issue: 11.06.2018

Section 1. Identificat	
Product name:	NORDALE HI-BOND PREMIUM PVA
Intended use:	Water based adhesive
Supplier: Nordale Australasia Pty Ltd 7 Link Drive, Campbellfield, Victoria, 3061 Australia	70
Phone: +61 (3) 9357 7	7100
Emergency information:	Frank Cerra : 0414 417 053
	Section 2. Hazards identification
Hazardous according to the criter Classification: <u>Hazard Class</u>	ria of Safe Work Australia. <u>Hazard Category</u>
Classification of the substance of Hazardous according to the criter Classification: <u>Hazard Class</u> Skin sensitizer Hazard pictogram:	ria of Safe Work Australia.
Hazardous according to the criter Classification: <u>Hazard Class</u> Skin sensitizer	ria of Safe Work Australia. <u>Hazard Category</u>
Hazardous according to the criter Classification: <u>Hazard Class</u> Skin sensitizer Hazard pictogram:	tia of Safe Work Australia. Hazard Category Category 1
Hazardous according to the criter Classification: <u>Hazard Class</u> Skin sensitizer Hazard pictogram: Signal word:	tia of Safe Work Australia. Hazard Category Category 1 Warning H317 May cause an allergic skin reaction.
Hazardous according to the criter Classification: <u>Hazard Class</u> Skin sensitizer Hazard pictogram: Signal word: Hazard statement(s): Precautionary Statement(s)	tia of Safe Work Australia. Hazard Category Category 1 Category 1 Warning H317 May cause an allergic skin reaction. P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P272 Contaminated work clothing should not be allowed out of the workplace.

Risk phrases: R43 May cause sensitisation by skin contact.

Safety phrases:

S24/25 Avoid contact with skin and eyes.S28 After contact with skin, wash immediately with plenty of water.S36/37 Wear suitable protective clothing and gloves.S46 If swallowed, seek medical advice immediately and show this container or label.

Dangerous Goods information:

Not classified as Dangerous Goods according to the criteria of the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG Code).

Signal word: HAZARDOUS

Section 3. Composition / information on ingredients

General chemical description:

Mixture Vinyl polymer Adhesive, water-based

Identity of ingredients:

Type of preparation:

Chemical ingredients	CAS-No.	Proportion
Mixture, 3(2H)-Isothiazolone, 5-chloro-2-methyl-,	55965-84-9	< 0.06 %
mixt. with 2-methyl-3(2H)-isothiazolone		
Remainder not hazardous including water~		60- 100 %

Section 4. First aid measures	
Ingestion:	Rinse out mouth. Do not drink.
	In case of adverse health effects seek medical advice.
Skin:	Rinse with running water and soap.
	If symptoms develop and persist, get medical attention.
Eyes:	Rinse immediately with plenty of running water (for 10 minutes). Seek medical attention if necessary.
Inhalation:	Move to fresh air. If symptoms persist, seek medical advice.
First Aid facilities:	Eye wash
	Normal washroom facilities
Medical attention and special treatment:	Treat symptomatically.

Section 5. Fire fighting measures

Suitable extinguishing media:

Extinguish using agent suitable for type of surrounding fire.

Decomposition products in case of fire::	carbon oxides. Irritating organic vapours.
Special protective equipment for fire-fighters:	Wear protective equipment. Wear self-contained breathing apparatus.

Section 6. Accidental release measures

Personal precautions:	See advice in section 8 Danger of slipping on spilled product.
Environmental precautions:	Do not empty into drains / surface water / ground water.
Clean-up methods:	For small spills wipe up with paper towel and place in container for disposal. For large spills absorb onto inert absorbent material and place in sealed container for disposal.

Section 7. Handling and storage		
Precautions for safe handling:	See advice in section 8 Wear suitable protective clothing, gloves and eye/face protection.	
Conditions for safe storage:	Store in a cool, well-ventilated place. Keep container tightly sealed and store in a frost free place. Temperatures between + 5 °C and + 30 °C Protect from freezing.	

Section 8. Exposure controls / personal protection

National exposure standards:

Engineering controls:	Ensure good ventilation/suction at the workplace.
Eye protection:	Safety glasses.
Skin protection:	Use of protective coveralls and long sleeves is recommended. Protective gloves made of rubber.
	Please note that in practice the working life of chemical resistant gloves may be considerably reduced as a result of many influencing factors (e.g. temperature). Suitable risk assessment should be carried out by the end user. If signs of wear and tear are noticed then the gloves should be replaced.
Respiratory protection:	If inhalation risk exists, wear a respirator or air supplied mask complying with the requirements of AS/NZS 1715 and AS/NZS 1716.

	Section 9. Physical and chemical properties	
Appearance:	White	
Odor:	Liquid mild	

pH:	3.5 - 4.5
Solubility in water:	Miscible

	Section 10. Stability and reactivity
Stability:	Stable under normal conditions of temperature and pressure.
Conditions to avoid:	Excessive heat. Freezing conditions.
Incompatible materials:	None known
Hazardous decomposition products:	Carbon dioxide, carbon monoxide and irritating and/or toxic gases and particulate may be generated by thermal decomposition or combustion.

Section 11. Toxicological information

Health Effects:	
Ingestion:	Ingestion of large amounts may produce gastrointestinal disturbances including irritation, nausea, and diarrhea.
Skin:	Prolonged or repeated contact may cause irritation.
	May cause skin sensitization.
Eyes:	May cause mild irritation
Inhalation:	Inhalation of mist or spray may cause irritation of the respiratory tract and nasal passages.

Acute toxicity:

Hazardous components CAS-No.	Value type	Value	Route of application	Exposure time	Species	Method
Mixture, 3(2H)- Isothiazolone, 5-chloro-2- methyl-, mixt. with 2- methyl-3(2H)- isothiazolone 55965-84-9	LD50 LD50	53 mg/kg 660 mg/kg	oral dermal		rat rabbit	Not specified

Skin corrosion/irritation:

Hazardous components CAS-No.	Result	Exposure time	Species	Method
Mixture, 3(2H)- Isothiazolone, 5-chloro-2- methyl-, mixt. with 2- methyl-3(2H)- isothiazolone 55965-84-9	corrosive			

Respiratory or skin sensitization:

Hazardous components CAS-No.	Result	Test type	Species	Method
Mixture, 3(2H)- Isothiazolone, 5-chloro-2- methyl-, mixt. with 2- methyl-3(2H)- isothiazolone 55965-84-9	Sensitizing		guinea pig	

Section 12. Ecological information

General ecological information:

Do not empty into drains, soil or bodies of water.

Ecotoxicity:

Harmful to aquatic life.

Toxicity:

Hazardous components CAS-No.	Value type	Value	Acute Toxicity Study	Exposure time	Species	Method
Mixture, 3(2H)-Isothiazolone, 5-chloro-2-methyl-, mixt. with 2-methyl-3(2H)-isothiazolone 55965-84-9	LC50	0.22 mg/l	Fish	96 h	Oncorhynchus mykiss	OECD Guideline 203 (Fish, Acute Toxicity Test)
Mixture, 3(2H)-Isothiazolone, 5-chloro-2-methyl-, mixt. with 2-methyl-3(2H)-isothiazolone 55965-84-9	NOEC	0.098 mg/l	Fish	28 d	Oncorhynchus mykiss	OECD 210 Guideline (fish early lite stage toxicity test)
Mixture, 3(2H)-Isothiazolone, 5-chloro-2-methyl-, mixt. with 2-methyl-3(2H)-isothiazolone 55965-84-9	EC50	0.048 mg/l	Algae	72 h	Pseudokirchnerella subcapitata	OECD Guideline 201 (Alga, Growth Inhibition Test)
Mixture, 3(2H)-Isothiazolone, 5-chloro-2-methyl-, mixt. with 2-methyl-3(2H)-isothiazolone 55965-84-9	NOEC	0.0012 mg/l	Algae	72 h	Pseudokirchnerella subcapitata	OECD Guideline 201 (Alga, Growth Inhibition Test)
Mixture, 3(2H)-Isothiazolone, 5-chloro-2-methyl-, mixt. with 2-methyl-3(2H)-isothiazolone 55965-84-9	EC10	0.59 mg/l	Bacteria	16 h		

Persistence and degradability:

Hazardous components CAS-No.	Result	Route of application	Degradability	Method
Mixture, 3(2H)-Isothiazolone, 5-chloro-2-methyl-, mixt. with 2-methyl-3(2H)-isothiazolone 55965-84-9		aerobic	97 %	OECD Guideline 302 B (Inherent biodegradability: Zahn- Wellens/EMPA Test)
Mixture, 3(2H)-Isothiazolone, 5-chloro-2-methyl-, mixt. with 2-methyl-3(2H)-isothiazolone 55965-84-9	readily biodegradable		> 60 %	OECD Guideline 301 D (Ready Biodegradability: Closed Bottle Test)

Bioaccumulative potential / Mobility in soil:

Hazardous components	LogKow	Bioconcentration	Exposure	Species	Temperature	Method
CAS-No.		factor (BCF)	time			
Mixture, 3(2H)-Isothiazolone,		3.6		calculation		
5-chloro-2-methyl-, mixt. with						
2-methyl-3(2H)-isothiazolone						
55965-84-9						
Mixture, 3(2H)-Isothiazolone,	-0.71 -				20 °C	OECD Guideline 117
5-chloro-2-methyl-, mixt. with	0.75					(Partition Coefficient (n-
2-methyl-3(2H)-isothiazolone						octanol / water), HPLC
55965-84-9						Method)

Section 13. Disposal considerations

Dispose of in accordance with local and national regulations.

Recommended cleanser:

Clean the packaging with water.

Disposal for uncleaned package:

Collection and delivery to recycling enterprise or other registered elimination institution.

Section 14. Transport information

Road and Rail Transport:

Dangerous Goods information:

Not classified as Dangerous Goods according to the criteria of the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG Code).

General information:

Not hazardous according to RID, ADR, ADN, IMDG, IATA-DGR.

Section 15. Regulatory information

SUSMP Poisons Schedule	None
AICS:	All components are listed or are exempt from listing on the Australian Inventory of Chemical Substances (AICS).

	Section 16. Other information				
Abbreviations/acronyms:	IMDG: International Maritime Dangerous Goods code IATA-DGR: International Air Transport Association – Dangerous Goods Regulations ADGC - Australian Dangerous Goods Code				
Reason for issue:	Reviewed SDS. Reissued with new date. involved chapters: 1 - 16				
Disclaimer:	The information given and the recommendations made herein apply to our product(s) alone and not combined with any other product(s). Such are based on our research and on data from other reliable sources and are believed to be accurate. No guarantee of accuracy is made. It is the purchasers' responsibility before using any product to verify this data under their own operating conditions and to determine whether the product is suitable for their purposes				