

# Nordale Australasia Pty Ltd

ABN 66 11 48 79 122

## **MATERIAL SAFETY DATA SHEET**

#### SECTION 1: IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Product name:	NORDALE 9025 Glue Sticks
Other names:	Nordale 9025 Adhesive.
Manufacturer's product code:	9025
Recommended use:	Packaging
Manufacturer:	Nordale Australasia Pty Ltd.
	70 Link Drive Campbellfield VIC 3061.
Phone:	(03) 9357 7100
Fax:	(03) 9357 0655
Emergency telephone numbers:	(03) 9357 7100 (Mon-Fri: 9am-5pm)
	(03) 9357 7100 or 0414 417 053 (All other hours)

#### 2. HAZARDS IDENTIFICATION

Not classified under the Chemicals (Hazard Information and Packaging) Regulations (CHIP) 1994.

#### **3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substances representing a health hazard within the meaning of the Dangerous Substances Directive 67/548/EEC

Name	Conc. R
Vinyl acetate	<0.3%

c. Range

Symbols

Risk Phrases R11

The above is present as an impurity.

#### 4. FIRST AID MEASURES

GET MEDICAL ASSISTANCE FOR ALL CASES OF OVER EXPOSURE

**General Advice:** Hotmelt adhesives pose virtually no hazards to health when used in normal industrial practice, but because they are used in a molten state at high temperatures there is a risk of thermal burns. Skin contact with molten hotmelt should be avoided and precautions taken against accidental splashes of adhesive. The use of hinged guards and the insulation of hot pipes, tanks etc. minimises the risk of burns.

**Inhalation:** Noxious and irritating fumes may be released from heating hotmelts. Vapours given off during operation

**Skin Contact:** Immediately flush skin with large amounts of water for at least 15 minutes. DO NOT ATTEMPT TO REMOVE MOLTEN MATERIAL. Cover affected area with a clean dressing. Get prompt medical attention.

**Eye Contact:** Immediately flush eyes with large amounts of water for at least 15 minutes. DO NOT ATTEMPT TO REMOVE MOLTEN MATERIAL. Get prompt medical attention.

Page 1 of 3 MSDS Review: 28<sup>th</sup> Feb 2019 Nordale 9025 MSDS **Ingestion:** First aid is not normally required. Do not induce vomiting unless instructed to do so by medical personnel. Give victim two glasses of water. Never give anything by mouth to an unconscious person. Get prompt medical attention.

#### **5. FIRE FIGHTING MEASURES**

Extinguishing Agents: Water spray, dry chemicals.

Special Fire fighting Procedures: Wear self-contained breathing apparatus and protective clothing.

Hazardous Products Formed: Under oxygen deficient conditions Carbon Monoxide (CO) and irritating smoke may be produced.

Unusual Fire or Explosion Hazards: Not applicable.

#### 6. ACCIDENTAL RELEASE MEASURES

Sweep or scoop up and remove.

#### 7. HANDLING AND STORAGE

Storage Temperature (°C) : Ambient Transport Temperature (°C) : Ambient Storage/Transport Pressure (Kpa) : Atmospheric Personal Precautionary Measures : No special precautionary measure should be needed under anticipated conditions of use.

**Prevention of Fire and Explosion :** Keep from contact with oxidizing material.

**Handling :** Avoid skin contact with hot material. Keep out of the reach of children.

Storage: Store away from heat.

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

**Eyes Protection :** Avoid eye contact. The following eye protection(s) are recommended: Safety glasses with side shields, Indirect Vented Goggles.

Skin Protection : Avoid skin contact. Wear appropriate gloves, such as Nomex, when handling this material to prevent thermal burns.

Ventilation : Use in well-ventilated area.

**Respiratory Protection :** Under normal use conditions, airborne exposures are not expected to be significant enough for respiratory protection.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state: Solid Colour: Translusent White Odour: Odourless or resin odour Solubility: Nil in water. Specific Gravity: 0.92 - 0.98 Flash Point (°C): over 200 °C Soften Point: 98± 5°C Boiling Point/Range (°C): Not Applicable Volatile Organic Compound (EPA Method 24): No applicable pH: Not Applicable Viscosity: Not Applicable Evaporation Rate: Not Applicable

#### **10. STABILITY AND REACTIVITY**

Stability: Stable under normal conditions of use.

Conditions to avoid: Strong oxidizing agents.

Incompatible materials: None known.

Hazardous decomposition products: Flammable Hydrocarbon, carbon monoxide and fumes.

Hazardous Polymerization: Hazardous Polymerization will not occur.

Page 2 of 3 MSDS Review: 28<sup>th</sup> Feb 2019 Nordale 9025 MSDS

#### **11. TOXICOLOGICAL INFORMATION**

Ingestion: Minimal toxicity.

Eye contact: Low hazard for usual industrial handling by trained personnel.

**Skin contact:** Frequent or prolonged contact may cause mild skin discomfort. Molten material may cause thermal burns.

Inhalation: Low hazard for usual industrial handling by trained personnel.

#### **12. ECOLOGICAL INFORMATION**

ECOTOXICOLOGICAL INFORMATION: Not determined. CHEMICAL FATE INFORMATION: Not determined.

#### **13. DISPOSAL CONSIDERATIONS**

Discharge, treatment, or disposal may be subject to national, state, or local laws. Incinerate.

## **14. TRANSPORT INFORMATION**

PROPER SHIPPNG NAME: Not Determined

DOT HAZARD CLASS: Not regulated

**INDENTIFICATION NUMBER:** Not determined

#### **15. REGULATORY INFORMATION**

This product complies with the Chemical Substance Inventory requirements of the US EPA, TSCA and the EU EINEX.

## **16. OTHER INFORMATION**

The information contained in this safety data is based in the present state of knowledge and current national legislation. It provides guidance on health, safety and environmental aspects of the product and should not be construed as any guarantee of technical performance or suitability for particular applications.

#### Date of preparation or last revision of the MSDS:

MSDS Review: 28th Feb 2014

Contacts:

Graham Prisk Managing Director Business hours (Mon-Fri. 9am-5pm): (03) 9357 7100 Mobile: 0408 612 556

or

Business Development Technical Manager Frank Cerra Business hours (Mon-Fri. 9am-5pm): (03) 9357 7100 Mobile : 0414 417 053

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. The information provided is to the best of Nordale Australasia's knowledge using the information available at the date of MSDS review. Nordale Australasia Pty Ltd does not make or give any warranty or guarantee whatsoever, with respect to the information's accuracy, reliability or completeness. It is the user's responsibility to satisfy themselves as to the suitability and completeness of such information for their own particular use. Hence the user undertakes not to hold Nordale Australasia Pty Ltd liable or responsible in any way whatsoever in relation or consequential to such use.

Page 3 of 3 MSDS Review: 28<sup>th</sup> Feb 2019 Nordale 9025 MSDS